



Goodwyn Mills Cawood
1906 E Three Notch Street
Andalusia, Alabama 36421
T 334.222.2699

TRANSMITTAL COVER SHEET

DATE: SEPTEMBER 19, 2024
TO: ALL CONTRACTORS
FROM: JOSH PIERCE, P.E.
PROJECT: WESG LIFT STATION & SEWAGE TRANSMISSION MAIN
FOR THE
ELMORE COUNTY COMMISSION
CWSRF PROJECT NO: CS011095-01
GMC PROJECT NO: CMGM230101
RE: ADDENDUM #1

PLEASE COMPLETE BELOW AND RETURN IMMEDIATELY.

I, the undersigned, hereby acknowledge receipt of this Addendum.

Authorized Representative of Contractor

Date

Company Name

Telephone

Fax

Contractor's License Number (if applicable)



ADDENDUM NUMBER 1

WESG LIFT STATION & SEWAGE TRANSMISSION MAIN
FOR THE
ELMORE COUNTY COMMISSION
SRF PROJECT NO: CS011095-01
GMC PROJECT NO: CMGM230101

1. General

- 1.1 The following revisions are hereby added as Addendum No. 1 to the referenced Project Manual and Plans and shall be considered when preparing bids.

2. Revisions to Project Manual

- 2.1 Sprayroq - Spraywall is approved as an alternate manhole / wet well liner product for the aforementioned project. Surface preparation, underlayment (if required), application and thickness shall follow the manufacturers recommended procedures.
- 2.2 The Revised Bid Proposal (attached), shall be used with submission of bid.

3. Clarifications

- 3.1 Measurement for the liner footage of horizontal directional drill pipe shall be measured above ground horizontally along the centerline of the pipe, from the pipe entry to the pipe exit, No additional payment will be given for extra pipe length below ground.
- 3.2 Pay Item No. 8 shall be modified to 12" PVC, C900 DR 18 in lieu of DR 21.
- 3.3 Pay Item No. 14 shall be modified to 12" Split Serrated Bell Restraint for IPS in lieu of 12" ReiberLok Gaskets

4. Acknowledgement of Receipt

- 4.1 Receipt of Addendum No. 1 shall be acknowledged in two ways:
 - 4.1.1 Note on (EJCDC C-410) page 5 of Bid Form of the Project Manual – Bidder acknowledges receipt of “Addendum No. 1” and date of “September 19, 2024”.

AND

- 4.1.2 EMAIL Goodwyn Mills Cawood, LLC immediately at patsy.stinson@gmcnetwork.com and confirm that EMAIL has been received.

5. Conclusion

- 5.1 This is the end of Addendum No. 1, dated Thursday, September 19, 2024.

BID FORM FOR CONSTRUCTION CONTRACT
WESG LIFT STATION & SEWAGE TRANSMISSION MAIN
GMC PROJECT NO: CMGM230101
CWSRF PROJECT NO: CS011095-01
REVISED PER ADDENDUM #1

The terms used in this Bid with initial capital letters have the meanings stated in the Instructions to Bidders, the General Conditions, and the Supplementary Conditions.

ARTICLE 1—OWNER AND BIDDER

1.01 This Bid is submitted to:

**Attn: Bart Mercer, Chairman
Elmore County Commission
100 East Commerce Street, Ste. 200
Wetumpka, AL 36092**

1.02 The undersigned Bidder proposes and agrees, if this Bid is accepted, to enter into an Agreement with Owner in the form included in the Bidding Documents to perform all Work as specified or indicated in the Bidding Documents for the prices and within the times indicated in this Bid and in accordance with the other terms and conditions of the Bidding Documents.

ARTICLE 2—ATTACHMENTS TO THIS BID

2.01 The following documents are submitted with and made a condition of this Bid:

- A. Required Bid security;
- B. List of Proposed Subcontractors; If subcontractors will not be utilized, please write a letter on company letterhead stating so and submit with your bid.
- C. List of Proposed Suppliers;
- D. Evidence of authority to do business in the state of the Project; or a written covenant to obtain such authority within the time for acceptance of Bids; and
- E. Contractor's license number as evidence of Bidder's State Contractor's License or a covenant by Bidder to obtain said license within the time for acceptance of Bids.
- F. Accounting of Sales Tax Attachment to Proposal Form
- G. E-Verify MOU and Certificate of Compliance with the Beason-Hammon Act
- H. Certification for Contracts, Grants, Loans, and Cooperative Agreements
- I. Certificate of Compliance with Act 2016-312
- J. EPA Form 6-100-2 – Even if subcontractor will not be utilized. If using DBE Supplier, please use this form.
- K. EPA Form 6-100-3 – Even if subcontractor will not be utilized. If using DBE Supplier, please use this form.

- L. EPA Form 6-100-4 – Even if subcontractor will not be utilized. If using DBE Supplier, please use this form.

ARTICLE 3—BASIS OF BID—UNIT PRICES

3.01 *Unit Price Bids*

- A. Bidder will perform the following Work at the indicated unit prices:
- B. Bidder acknowledges that:
1. each Bid Unit Price includes an amount considered by Bidder to be adequate to cover Contractor’s overhead and profit for each separately identified item, and
 2. estimated quantities are not guaranteed, and are solely for the purpose of comparison of Bids, and final payment for all Unit Price Work will be based on actual quantities, determined as provided in the Contract Documents.

<u>ITEM</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>	<u>UNIT PRICE</u>	<u>TOTAL PRICE</u>
1	1	LS	Mobilization & General Conditions (NTE 3% of Total Bid)	\$ <u>LS</u>	\$ <u> </u>
2	600	LF	1" Municipex Water Service Line w/ Tracer Wire	<u> </u>	<u> </u>
3	1	EA	1" Frost Proof Hose Bib	<u> </u>	<u> </u>
4	1	EA	1" Water Service Tap (Includes Corp. & Curb Stop)	<u> </u>	<u> </u>
5	1	EA	1" Badger Radio Read Meter Assembly (Includes Backflow, Nipples, Meter Box, Etc.)	<u> </u>	<u> </u>
6	210	LF	12" PVC, SDR 26 Gravity Sewer Main (Various Depth)	<u> </u>	<u> </u>
7	20	LF	10" PVC, SDR 21 CL 200 Sanitary Sewer Force Main w/ Tracer Wire	<u> </u>	<u> </u>
8	18,500	LF	12" PVC, SDR 21 CL 200 Sanitary Sewer Force Main w/ Tracer Wire	<u> </u>	<u> </u>
9	40	LF	12" PVC, C900 DR18 Sanitary Sewer Force Main w/ Tracer Wire	<u> </u>	<u> </u>
10	1,540	LF	12" DR18 DIPS FPVC / 14" DR11 DIPS HDPE w/ Tracer Wire (HDD Installation) - CIRCLE CHOICE	<u> </u>	<u> </u>
11	630	LF	20" Coated Welded Steel Encasement (Jack & Bore Installation) - 0.25 Wall Thickness (Includes Spacers & End Seals)	<u> </u>	<u> </u>
12	40	LF	20" Coated Welded Steel Encasement (Open Cut Installation) - 0.25 Wall Thickness (Includes Spacers & End Seals)	<u> </u>	<u> </u>

13	385	LF	24" Coated Welded Steel Encasement (Jack & Bore Installation) - 0.375 Wall Thickness (Includes Spacers & End Seals)		
14	95	EA	12" Split Serrated Bell Restraints		
15	1	EA	10" Plug Valve Assembly (Includes Valve Box, Concrete Collar & Marker Post)		
16	4	EA	12" Plug Valve Assembly (Includes Valve Box, Concrete Collar & Marker Post)		
17	1	EA	12" Inserta Valve Assembly (Includes Valve Box, Concrete Collar & Marker Post)		
18	1	EA	16" Inserta Valve Assembly (Includes Valve Box, Concrete Collar & Marker Post)		
19	1	EA	12" TS&V Assembly (Includes Valve Box, Concrete Collar and Marker Post)		
20	1	EA	16"x 12" TS&V Assembly (Includes Valve Box, Concrete Collar and Marker Post)		
21	4	EA	2" Combination Sanitary Sewer Air Release Valve Assembly w/ Marker Post)		
22	9	TON	Epoxy Lined Ductile Iron Fittings		
23	1	EA	Sanitary Sewer Force Main Flush Assembly (Includes Marker Post)		
24	1	EA	48" Diameter Manhole Assembly w/ Ring & Cover (Various Depth)		
25	11	VF	48" Diameter Manhole Epoxy Liner		
26	1	EA	Connect to Existing Manhole		
27	1	EA	Connect to Existing Force Main		
28	1	LS	Lift Station Site Work (Grading, Storm Drainage, Driveway, Crushed Aggregate, Concrete Pads, Fencing, Gates, Etc.)	LS	
29	1	LS	Lift Station Yard Piping (Includes Piping, Valves, Fittings, Etc. Inside the LS Fence)	LS	
30	1	LS	Lift Station 10'x10' Wet Well	LS	
31	21	VF	Lift Station Wet Well Epoxy Liner		
32	1	LS	Auger Monster 8' Dia. Manhole	LS	
33	17	VF	Auger Monster MH Epoxy Liner		
34	2	EA	Lift Station Submersible Pumps & Related Appurtenances		

35	1	LS	Vertical Auger Monster & Related Appurtenances	LS	
36	1	LS	Lift Station Check Valve & Meter Vault Assembly	LS	
37	1	LS	Lift Station Crane w/ Electric Hoist & Concrete Foundation	LS	
38	1	LS	Temporary Lift Station Access Road	LS	
39	1	LS	Shoring & Dewatering	LS	
40	1	LS	Standby Backup Bypass Pump w/ Concrete Pad	LS	
41	1	LS	Lift Station Site Electrical	LS	
42	1	LS	Lift Station Site SCADA	LS	
43	1	LS	Force Main Connection Temporary Bypass Piping	LS	
44	1	LS	Force Main Connection Access Driveway	LS	
45	1	LS	Force Main Connection Check Valve Assembly w/ Vault, Hatch, Piping, Fittings, Bypass, Valves, Bollards, Sump Pump, Etc.	LS	
46	1	LS	Force Main Connection Meter & Check Valve Assembly w/ Vault, Hatch, Piping, Fittings, Bollards, Sump Pump, Etc.	LS	
47	1	LS	Force Main Connection Electrical	LS	
48	1	LS	Force Main Connection SCADA	LS	
49	575	TON	Superpave Bituminous Wearing Surface, 3/4" Max. Aggregate Size, ESAL A/B (165LBS/SY)		
50	675	GAL	Tack Coat		
51	1	MILE	Solid Yellow Traffic Stripe, Class 2, Type A		
52	88	SF	Traffic Control Markings & Legends, Class 2, Type A		
53	20	CY	Minor Structure Concrete		
54	1,600	LF	Saw Cut, Dispose, Backfill, Compact & Patch Asphalt Roadway (Jackson St. & Fire Station Road)		
55	310	LF	Saw Cut, Dispose, Backfill, Compact & Patch Asphalt Driveway		
56	150	LF	Open Cut, Backfill, Compact & Patch Gravel / Crushed Aggregate Driveway		
57	1	LS	All Other Items	LS	
58	1	LS	Clearing & Grubbing	LS	
59	1	LS	Cleanup, Grassing, Mulching, Site & Landscape Restoration	LS	
60	1	LS	Erosion Control Measures (Silt Fence, Removal, Wattles, Eels, Etc.,)	LS	

61	1	LS	Traffic Control Measures (Const. Signs, Barrels, Cones, Etc.)	LS	
62	1	LS	Allowance - Geotechnical Materials Testing	LS	10,000.00
63	1	LS	Allowance- Construction Survey	LS	15,000.00
64	1	LS	Allowance - Stormwater / Environmental Permitting	LS	40,000.00
65	1	LS	Allowance - CSX Flagman	LS	10,000.00
66	1	LS	Allowance - CAEC Power	LS	5,000.00
67	1	LS	Allowance - Owner's Contingency	LS	150,000.00

TOTAL BID \$

ARTICLE 4—TIME OF COMPLETION

- 4.01 Bidder agrees that the Work will be substantially complete and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions on or before the dates or within the number of calendar days indicated in the Agreement.
- 4.02 Bidder agrees that the Work will be substantially complete within **270** calendar days after the date when the Contract Times commence to run as provided in Paragraph 4.01 of the General Conditions, and will be completed and ready for final payment in accordance with Paragraph 15.06 of the General Conditions within **300** calendar days after the date when the Contract Times commence to run.
- 4.03 Bidder accepts the provisions of the Agreement as to liquidated damages.

ARTICLE 5—BIDDER’S ACKNOWLEDGEMENTS: ACCEPTANCE PERIOD, INSTRUCTIONS, AND RECEIPT OF ADDENDA

- 5.01 *Bid Acceptance Period*
 - A. This Bid will remain subject to acceptance for 60 days after the Bid opening, or for such longer period of time that Bidder may agree to in writing upon request of Owner.
- 5.02 *Instructions to Bidders*
 - A. Bidder accepts all of the terms and conditions of the Instructions to Bidders, including without limitation those dealing with the disposition of Bid security.
- 5.03 *Receipt of Addenda*
 - A. Bidder hereby acknowledges receipt of the following Addenda:

Addendum Number	Addendum Date

ARTICLE 6—BIDDER’S REPRESENTATIONS AND CERTIFICATIONS

6.01 Bidder’s Representations

- A. In submitting this Bid, Bidder represents the following:
1. Bidder has examined and carefully studied the Bidding Documents, including Addenda.
 2. Bidder has visited the Site, conducted a thorough visual examination of the Site and adjacent areas, and become familiar with the general, local, and Site conditions that may affect cost, progress, and performance of the Work.
 3. Bidder is familiar with all Laws and Regulations that may affect cost, progress, and performance of the Work.
 4. Bidder has carefully studied the reports of explorations and tests of subsurface conditions at or adjacent to the Site and the drawings of physical conditions relating to existing surface or subsurface structures at the Site that have been identified in the Supplementary Conditions, with respect to the Technical Data in such reports and drawings.
 5. Bidder has carefully studied the reports and drawings relating to Hazardous Environmental Conditions, if any, at or adjacent to the Site that have been identified in the Supplementary Conditions, with respect to Technical Data in such reports and drawings.
 6. Bidder has considered the information known to Bidder itself; information commonly known to contractors doing business in the locality of the Site; information and observations obtained from visits to the Site; the Bidding Documents; and the Technical Data identified in the Supplementary Conditions or by definition, with respect to the effect of such information, observations, and Technical Data on (a) the cost, progress, and performance of the Work; (b) the means, methods, techniques, sequences, and procedures of construction to be employed by Bidder, if selected as Contractor; and (c) Bidder’s (Contractor’s) safety precautions and programs.
 7. Based on the information and observations referred to in the preceding paragraph, Bidder agrees that no further examinations, investigations, explorations, tests, studies, or data are necessary for the performance of the Work at the Contract Price, within the Contract Times, and in accordance with the other terms and conditions of the Contract.
 8. Bidder is aware of the general nature of work to be performed by Owner and others at the Site that relates to the Work as indicated in the Bidding Documents.
 9. Bidder has given Engineer written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Bidding Documents, and of discrepancies between Site conditions and the Contract Documents, and the written resolution thereof by Engineer is acceptable to Contractor.
 10. The Bidding Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performance and furnishing of the Work.
 11. The submission of this Bid constitutes an incontrovertible representation by Bidder that without exception the Bid and all prices in the Bid are premised upon performing and furnishing the Work required by the Bidding Documents.

6.02 *Bidder's Certifications*

A. The Bidder certifies the following:

1. This Bid is genuine and not made in the interest of or on behalf of any undisclosed individual or entity and is not submitted in conformity with any collusive agreement or rules of any group, association, organization, or corporation.
2. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid.
3. Bidder has not solicited or induced any individual or entity to refrain from bidding.
4. Bidder has not engaged in corrupt, fraudulent, collusive, or coercive practices in competing for the Contract. For the purposes of this Paragraph 8.02.A:
 - a. Corrupt practice means the offering, giving, receiving, or soliciting of anything of value likely to influence the action of a public official in the bidding process.
 - b. Fraudulent practice means an intentional misrepresentation of facts made (a) to influence the bidding process to the detriment of Owner, (b) to establish bid prices at artificial non-competitive levels, or (c) to deprive Owner of the benefits of free and open competition.
 - c. Collusive practice means a scheme or arrangement between two or more Bidders, with or without the knowledge of Owner, a purpose of which is to establish bid prices at artificial, non-competitive levels.
 - d. Coercive practice means harming or threatening to harm, directly or indirectly, persons or their property to influence their participation in the bidding process or affect the execution of the Contract.

BIDDER hereby submits this Bid as set forth above:

(Signature Page to Follow)

Bidder:

(typed or printed name of organization)

By:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

If Bidder is a corporation, a partnership, or a joint venture, attach evidence of authority to sign.

Attest:

(individual's signature)

Name:

(typed or printed)

Title:

(typed or printed)

Date:

(typed or printed)

Address for giving notices:

Bidder's Contact:

Name:

(typed or printed)

Title:

(typed or printed)

Phone:

Email:

Address:

Bidder's Contractor License No.: (if applicable) _____